IN THE CLAIMS:

Please amend the claims as indicated below.

1. (Currently Amended) A method for evaluating a password proposed by a user during an enrollment process, comprising:

receiving said proposed password from said user;

performing an Internet search using a query containing one or more keywords derived from said proposed password, wherein said Internet search searches contents of the Internet using a search engine tool;

evaluating results of said search relative to one or more predefined thresholds; and

rejecting said proposed password when said user is correlated with said proposed password if one or more of said predefined thresholds are exceeded by said results.

- 2. (Original) The method of claim 1, wherein said one or more predefined correlation rules evaluate whether that said proposed password can be qualitatively correlated with said user.
- 3. (Original) The method of claim 1, wherein said one or more predefined correlation rules evaluate whether said proposed password can be quantitatively correlated with said user.
- 4. (Original) The method of claim 1, wherein said proposed password is comprised of a proposed answer and a proposed hint and wherein said one or more predefined correlation rules evaluate whether said proposed answer can be correlated with said proposed hint in a particular relation.

- 5. (Original) The method of claim 4, wherein said particular relation is selected from the group consisting essentially of: self, family member, co-author, teammate, colleague, neighbor, community member or household member.
- 6 (Original) The method of claim 1, wherein said proposed password is comprised of a proposed answer and a proposed hint and wherein said one or more predefined correlation rules evaluate whether said proposed answer can be obtained from said proposed hint
- 7 (Original) The method of claim 1, wherein said proposed password is an identifying number.
- 8. (Original) The method of claim 7, wherein said one or more predefined correlation rules evaluate whether said identifying number identifies a person in a particular relationship to said user.
- 9 (Original) The method of claim 7, wherein said one or more predefined correlation rules evaluate whether said identifying number is a top N most commonly used identifying number.
- 10. (Original) The method of claim 7, wherein said one or more predefined correlation rules evaluate whether said identifying number identifies a top N commercial entity.
- (Original) The method of claim 7, wherein said one or more predefined correlation rules evaluate whether said identifying number identifies said user
- 12 (Original) The method of claim 7, wherein said identifying number is a portion of a telephone number

- 13. (Original) The method of claim 7, wherein said identifying number is a portion of an address
- 14. (Original) The method of claim 7, wherein said identifying number is a portion of social security number.
- 15 (Original) The method of claim 1, wherein said proposed password is a word.
- 16 (Original) The method of claim 15, wherein said one or more predefined correlation rules evaluate whether a correlation between said word and said user exceeds a predefined threshold.
- 17. (Original) The method of claim 1, wherein said correlation is determined by performing a meta-search.
- (Original) The method of claim 1, wherein said step of ensuring a correlation further comprises the step of performing a meta-search
- 19 (Original) The method of claim 1, wherein said step of ensuring a correlation further comprises the step of performing a local proximity evaluation
- 20 (Original) The method of claim 1, wherein said step of ensuring a correlation further comprises the step of performing a number classification.
- 21. (Currently Amended) An apparatus for evaluating a password proposed by a user during an enrollment process, comprising:

a memory; and at least one processor, coupled to the memory, operative to: receive said proposed password from said user; perform an Internet search using a query containing one or more keywords derived from said proposed password, wherein said Internet search searches contents of the Internet using a search engine tool;

evaluate results of said search relative to one or more predefined thresholds; and

reject said proposed password when said user is correlated with said proposed password if one or more of said predefined thresholds are exceeded by said results.

- (Original) The apparatus of claim 21, wherein said one or more predefined correlation rules evaluate whether said proposed password can be correlated with said user.
- 23. (Original) The apparatus of claim 21, wherein said proposed password is comprised of a proposed answer and a proposed hint and wherein said one or more predefined correlation rules evaluate whether said proposed answer can be correlated with said proposed hint in a particular relation.
- 24. (Original) The apparatus of claim 21, wherein said proposed password is comprised of a proposed answer and a proposed hint and wherein said one or more predefined correlation rules evaluate whether said proposed answer can be obtained from said proposed hint
- 25. (Original) The apparatus of claim 21, wherein said proposed password is an identifying number.
- 26 (Original) The apparatus of claim 25, wherein said one or more predefined correlation rules evaluate whether said identifying number identifies a person in a particular relationship to said user.

(Currently Amended) An article of manufacture for evaluating a password proposed by a user during an enrollment process, comprising a machine readable storage recordable medium containing one or more programs which when executed by a computer implement the steps of:

receiving said proposed password from said user;

performing an Internet search using a query containing one or more keywords derived from said proposed password, wherein said Internet search searches contents of the Internet using a search engine tool;

evaluating results of said search relative to one or more predefined thresholds; and

rejecting said proposed password when said user is correlated with said proposed password if one or more of said predefined thresholds are exceeded by said results.